Options

Open **Jira Connector** in the WordPress admin menu to reach the settings page. The settings are grouped in tabs:

- Issue Button
- Issue Inline
- Issue Panel
- Issue Filter
- Status Colors
- Cache
- License
- Advanced
- Plugin Info

Each tab has its own **Save Changes** button and saves only its own fields. The shortcode and block parameters described in Shortcodes override these defaults for one output.

Issue Button



Issue Button settings

Setting	Description	Default
Default Button Color	Bootstrap color for the button, or “Jira Status Category” to follow the issue status.	Jira Status Category
Outline Button	Use the outlined button style instead of a filled button.	No
Summary Characters	Maximum summary length shown after the issue key. Set to 0 to hide the summary.	40
Link to Jira	Link the issue key to the issue in Jira.	No

Issue Inline



Issue Inline settings

The inline lozenge uses the **Issue Button** color and summary length. The **Inline Color** and **Summary Characters** fields are legacy options retained for 2.x compatibility. **Link to Jira** applies to the inline display.

Issue Panel



Issue Panel settings

Setting	Description	Default
Panel Color	Bootstrap color for the panel, or the Jira status category color.	Jira Status Category
Show Summary	Show the issue summary in the panel.	No
Show Description	Show the issue description.	No
Show Last Comment	Show the last comment of the issue.	No
Description Characters	Maximum description length. Set to 0 to show the full description.	240
Link to Jira	Link the issue key to the issue in Jira.	No

Issue Filter



Issue Filter settings

Setting	Description	Default
Color Rows	Color each table row by the Jira status category.	No
Show …	Default columns: issue type, priority, key, summary, description, reporter, assignee, created, due date, affects version, fix version, resolution and status.	All off
Start At	First result to show. Use 0 for the first result.	0
Maximum Results	Number of issues in the table.	50
Show Result Count	Show a “Showing x of y results” line above the table.	No
Link Keys to Jira	Link the issue keys to the issues in Jira.	No

The `fields` and `headers` parameters of the `[jco-filter]` shortcode override the default columns for one table.

Status Colors



Status color settings

Choose the Bootstrap color for the three Jira status categories: To Do, In Progress and Done. These colors are used when a display is set to follow the Jira status category color.

Cache



Cache settings

The plugin caches Jira responses and proxied icons in WordPress transients.

Setting	Description	Default
Enable Cache	Cache successful Jira responses.	Yes
Cache TTL (seconds)	How long successful responses are cached. Set to 0 to cache nothing.	300
Error Cache TTL (seconds)	How long failed responses are cached. Set to 0 to disable negative caching.	60
Clear Cache	Remove all cached Jira responses and icon images. Use it after changing data directly in Jira.	

Caching keeps the page fast when several shortcodes show the same issue, and prevents every page view from contacting Jira.

License

The License tab activates and deactivates the license for this domain. See License.



License settings

Advanced

The Advanced tab has two purposes:

- **Delete All Data on Uninstall**: remove settings, license data, cache and Jira Host posts when the plugin is deleted. It is off by default.
- **Legacy options** from version 2.x. They are shown for compatibility. Host data is now stored on the Jira Host post, and the license status is loaded from the

license server.

Plugin Info



Plugin Info tab

The Plugin Info tab shows the installed version, documentation and support links, and the credits for the bundled Bootstrap Icons and Poppins font.

Last updated: 2026-11-18 22:32